


IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Albania (3 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Argentina (23 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Australia (39 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Austria (49 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Belgium (47 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Bulgaria (22 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Canada (29 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from China (27 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Croatia (28 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Cyprus (14 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Czech Republic (30 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Denmark (50 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Estonia (4 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Finland (12 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1


IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1


IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Italy (56 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Mexico (33 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from New Zealand (17 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Norway (51 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Poland (64 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Portugal (38 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Romania (8 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Slovak Republic (41 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Slovenia (5 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from South Africa (6 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Spain (26 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Sweden (70 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1


IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from United Kingdom (30 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $4.412 \pm 0.033 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from USA (52 laboratories)

IMEP-17 : Trace and minor constituents in human serum : Glucose– national graphs
MATERIAL 1

