



IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



No results reported from laboratories from Albania


IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Argentina (13 laboratories)

IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
 Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




IMEP- 17: Trace and minor constituents in human serum
 Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1


IMEP- 17: Trace and minor constituents in human serum

Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




IMEP- 17: Trace and minor constituents in human serum

Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Canada (24 laboratories)


IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from China (13 laboratories)


IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Croatia (14 laboratories)

IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Cyprus (5 laboratories)

IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Czech Republic (24 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Denmark (22 laboratories)

IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Estonia (1 laboratory)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Finland (6 laboratories)

IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Germany (14 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Hungary (4 laboratories)

IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Iceland (1 laboratory)

IMEP- 17: Trace and minor constituents in human serum


Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Israel (16 laboratories)


IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Italy (48 laboratories)


IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Mexico (18 laboratories)


IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from New Zealand (10 laboratories)

IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Norway (16 laboratories)

IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Poland (23 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Portugal (22 laboratories)

IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Romania (3 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Slovakia (26 laboratories)

IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



No results reported from laboratories from Slovenia

IMEP- 17: Trace and minor constituents in human serum


Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from South Africa (4 laboratories)

IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
 Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




IMEP- 17: Trace and minor constituents in human serum
 Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]





Results from all participants from The Netherlands (19 laboratories)

IMEP- 17: Trace and minor constituents in human serum
Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Turkey (9 laboratories)


IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1



IMEP-17 : Trace and minor constituents in human serum :IgG– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum

Certified value : $10.47 \pm 0.48 \text{ g}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



No results reported from laboratories from Yugoslavia