



IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Albania (4 laboratories)


IMEP- 17: Trace and minor constituents in human serum
Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Argentina (21 laboratories)


IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Australia (39 laboratories)


IMEP- 17: Trace and minor constituents in human serum
Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Austria (48 laboratories)


IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
 Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Belgium (48 laboratories)

IMEP- 17: Trace and minor constituents in human serum
 Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Bulgaria (22 laboratories)

IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1


IMEP- 17: Trace and minor constituents in human serum

Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




IMEP- 17: Trace and minor constituents in human serum

Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Croatia (27 laboratories)

IMEP- 17: Trace and minor constituents in human serum
Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Cyprus (11 laboratories)

IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Czech Republic (30 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Denmark (52 laboratories)

IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Estonia (4 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Finland (12 laboratories)

IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1


IMEP- 17: Trace and minor constituents in human serum

Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



IMEP- 17: Trace and minor constituents in human serum


Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Iceland (1 laboratory)

IMEP- 17: Trace and minor constituents in human serum


Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Israel (36 laboratories)


IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
 Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Italy (56 laboratories)


IMEP- 17: Trace and minor constituents in human serum
 Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Mexico (31 laboratories)


IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
 Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from New Zealand (17 laboratories)


IMEP- 17: Trace and minor constituents in human serum
 Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants of Norway (49 laboratories)


IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Poland (63 laboratories)

IMEP- 17: Trace and minor constituents in human serum
Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Portugal (38 laboratories)

IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Romania (6 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Slovak Republic (41 laboratories)

IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Slovenia (5 laboratories)

IMEP- 17: Trace and minor constituents in human serum


Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from South Africa (6 laboratories)


IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum
Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from Spain (26 laboratories)

IMEP- 17: Trace and minor constituents in human serum
Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]




Results from all participants from Sweden (78 laboratories)

IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1


IMEP- 17: Trace and minor constituents in human serum

Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



IMEP- 17: Trace and minor constituents in human serum


Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum


Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from United Kingdom (30 laboratories)

IMEP- 17: Trace and minor constituents in human serum

Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]



Results from all participants from USA (49 laboratories)

IMEP-17 : Trace and minor constituents in human serum :Potassium– national graphs
MATERIAL 1

IMEP- 17: Trace and minor constituents in human serum

Certified value : $3.735 \pm 0.021 \text{ mmol}\cdot\text{L}^{-1}$ [$U=k\cdot u_c$ ($k=2$)]

