

JRC POLICY BRIEF

Analysis of scenarios integrating the INDCs

Alban Kitous, Kimon Keramidias
(EC JRC IPTS/J1)

October 2015

JRC analysis finds that submitted INDCs on climate policy can put the world on a path to reduce emissions in a more anticipated manner compared to current policies. Unconditional INDCs would lead to 56.6 GtCO₂e in 2030 (excl. sinks; +17% 2010 with 42.2 GtCO₂e) while conditional INDCs combined would lead to a clear peak shortly before 2030 at 54.0 GtCO₂e (+12% vs. 2010). These scenarios, if extended to 2050, would already cover 30% to 44% of the emissions reductions needed to remain below a 2 °C temperature increase.

The results presented here provide an analysis of the INDCs¹ submitted by the countries to the UNFCCC² (2015) in the preparation of the COP21³ to be held in Paris (12/2015). They were obtained with quantified modelling using the energy-economy model POLES-JRC⁴. The assumptions on data used are described in Table 2 (Annex 2).

This policy brief is based on an update of the work conducted in the Global Energy and Climate Outlook 2015 (GECO2015) report that evaluated the transformation of the energy system and the economic cost of GHG⁵ emission trajectories compatible with the objective to remain below a 2 °C increase (see Labat et al. 2015).

¹ INDC: Intended Nationally Determined Contribution, whereby countries announce their objectives in terms of GHG emissions by 2025/2030

² UNFCCC: United Nations Framework Convention on Climate Change

³ COP21: 21st yearly session of the Conference of the Parties to the 1992 United Nations Framework Convention on Climate Change (UNFCCC), 30/11/2015 – 11/12/2015

⁴ <https://ec.europa.eu/jrc/en/scientific-tool/poles-prospective-outlook-long-term-energy-systems>

⁵ GHG: Greenhouse Gas, as defined in the Kyoto Protocol (CO₂, CH₄, N₂O, SF₆, PFCs, HFCs)

The following scenarios were modelled⁶:

- **No Policy**: Assumes no climate action in the future, including a relaxation of currently existing policies before 2020.
- **Reference**: Assumes announced policies for 2020⁷ and a relaxation of policies after 2020; emissions are driven by income growth, energy prices and expected technological evolution with no supplementary incentivizing of low-carbon technologies. Emissions continue to grow at a decelerated pace but reach no peak by 2050⁸.
- **Global Mitigation**: Assumes a rapid intensification of policies across several world countries from 2015, leading to a peak in emissions as early as 2020. A progressive convergence of underlying carbon prices after 2030, depending on their per capita income, leads to a "below 2 °C-compatible" emissions profile by 2050.
- **INDC-low**: All INDCs expressed unconditionally are implemented; countries where the *Reference* already lead to emissions at or lower than their INDCs, as well as countries with no INDCs or conditional-only INDCs, do not implement additional policies. No commitment was assumed for low-income African countries. Beyond 2030, regional carbon prices increase, including for countries that previously had no climate policies, and progressively converge, at a speed that depends on their per capita income; on average, the world GHG intensity over 2030-2050 decreases at the same rate as for 2020-2030.
- **INDC-high**: Similar to *INDC-low*, but all INDCs are implemented, including all conditional contributions.

The 120 countries that submitted INDCs as of October 13 2015 represented 88.0% of global GHG emissions in 2010 (excluding world bunkers; metrics using World Resources Institute's CAIT WRI 2014). Most of the INDCs were used in the modelling (see Table 1 in Annex).

Global emissions continue to rise in the *Reference* scenario throughout 2050, whereas the implementation of INDCs and a prolonged effort after 2030 result in curbing emissions and a peak in 2035 (*INDC-low*) or 2030 (*INDC-high*). The emissions in the two INDC scenarios result in a global temperature increase of around 3 °C⁹.

The decrease of emissions intensity per unit of GDP marks a break from the historical trend (-1.8%/year) in all climate policy scenarios:

- it is slightly above the historical average in the *Reference* (thanks to the deployment of renewables technologies that is expected to take place even without strong climate policies);
- it more than doubles in the ambitious *Global Mitigation* scenario;
- it ranges from -3 to -3.3%/year in the *INDC* scenarios.

The aggregate level of ambition of the INDCs by 2025 and 2030 thus represents a significant deviation from historical trends and will require efforts to implement current and new policies. This will mean a significant transformation of the energy sector and land use policies.

⁶ All scenarios share the same macroeconomic assumptions.

⁷ Derived from Elzen M. den et al. (2015); announced policies in 2020 across the world are not always reached in our *Reference*.

⁸ The *Reference* scenario falls in the range defined by Representative Concentration Pathways RCP6.0 and RCP8.5; see IPCC's Fifth Assessment Report (IPCC 2014) WG III Figure TS.8 and TS.2.2,

⁹ The *INDC* scenarios fall in the middle of the range defined by Representative Concentration Pathway RCP4.5, corresponding to a likelihood of "staying below 3 °C over the 21st century" of "likely" and "more likely than not"; see IPCC's Fifth Assessment Report (IPCC 2014) WG III, Figure TS.8 and Table TS.1

Nevertheless, emissions in both *INDC* scenarios are above least-cost pathways to limit the global temperature increase below 2 °C (illustrated by the *Global Mitigation* scenario).

Emissions from world marine and air bunkers continue to rise in all scenarios, as they are not subject to an international climate policy to curb their emissions. They rise at an average of 2.4%/year over 2015-2030 (2.9%/year over 1990-2015), driven by international mobility and trade, and increase from 1.4 GtCO₂ in 2013 (i.e. 3% of global emissions) to about 2.1 GtCO₂ in 2030 (3.5-4% of global emissions in the *INDC* scenarios).




Figure 1: World emissions (GtCO₂e, total excluding sinks) and percent change in emission intensity per unit of GDP

Source: POLES-JRC model
For a comparison with other studies see for instance PBL (2015)

The total emissions in 2030 are 3.5 GtCO₂e lower in the *INDC-low* versus the *Reference* case, and conditional *INDCs* lead them 2.5 GtCO₂e lower. The majority of emissions reductions are achieved in the power sector (51% from *Reference* to *INDC-high*), followed by CO₂ in other energy sectors (19%), non-CO₂ greenhouse gases in energy and industry (13%), non-CO₂ in agriculture (11%) and CO₂ in LULUCF (6%); the effect of sinks¹⁰ has not been taken into account here) – see Figure 2.

¹⁰ CO₂ sinks are defined as negative emissions




Figure 2: Sectoral contributions to differences between Reference and INDC-low scenarios, and between INDC-low and INDC-high scenarios, world, 2030 (MtCO_{2e}, excluding sinks)

Source: POLES-JRC model

In order to reach the objective of remaining below 2°C, parties will need to implement more drastic policies beyond 2030 and increase the intensity of the effort (see below the *INDC-high-2C* scenario). A different option would be to decrease the gap to the *Global Mitigation* scenario before 2030, by strengthening the ambition of the INDCs dynamically over 2015-2030.




Figure 3: Emissions (excl. sinks) and percent change of energy intensity of GDP (final demand) in the "bridging" scenario INDC-high-2C

Source: POLES-JRC model




Figure 4: Global share of non-fossil fuels in the electricity and the total primary energy mix

Source: POLES-JRC model

The global share of non-fossil fuels in the energy mix (renewable energies and nuclear) increases over time for all scenarios, including in the *No Policy* scenario, due to the increase in the competitiveness of these technologies. The implementation of INDCs could push their contribution to the power generation to rise to nearly 50% in 2030.




Figure 5: Global indicators of final energy and power generation

Source: POLES-JRC model

The INDCs have a slight influence on the decrease of energy intensity of GDP and on the electrification of the final demand. But they lead to a significant reduction of the carbon content of electricity production (see also Figure 2), that is, by 2030, 17% lower in the *INDC-high* than in the *Reference* scenario.

References

- BGR (German Federal Institute for Geosciences and Natural Resources) (2014). Energy Study 2014. Reserves, resources and availability of energy resources. 131 p. Hannover. Available on (10-10-2015): http://www.bgr.bund.de/EN/Themen/Energie/Downloads/energiestudie_2014_en.pdf;jsessionid=58620B9D6745E49CF8C958860FD70212.1_cid331?_blob=publicationFile&v=3
- BP (2015). Statistical Review of World Energy 2014. Available on (15-05-2015): <http://www.bp.com/en/global/corporate/about-bp/energy-economics/statistical-review-of-world-energy.html>
- Dellink, R., Lanzi, E., Chateau, J., Bosello, F., Parrado, R., de Bruin, K. (2014). "Consequences of Climate Change Damages for Economic Growth: A Dynamic Quantitative Assessment", OECD Economics Department Working Papers, No. 1135, OECD Publishing. <http://dx.doi.org/10.1787/5jz2bxb8kmf3-en>
- EC (European Commission) (2015). The 2015 Ageing Report: Economic and budgetary projections for the 28 EU Member States (2013-2060). Available on (06-10-2015): http://ec.europa.eu/economy_finance/publications/european_economy/2015/ee3_en.htm
- EC-JRC (Joint Research Centre) (2014). ETRI 2014 Energy Technology Reference Indicator projections for 2010-2050. Report EUR 26950 EN. ISBN 978-92-79-44403-6. doi: 10.2790/057687
- EC-JRC (2015). Emissions Database for Global Atmospheric Research (EDGAR), v4.2 and v4.2 FT2010. Available on (10-10-2015): <http://edgar.jrc.ec.europa.eu/>
- EIA (US Energy Information Administration) (2015). Petroleum and other liquids. Data, Spot prices. Available on (10-2015): http://www.eia.gov/dnav/pet/pet_pri_spt_s1_d.htm
- Elzen, M. den et al. (2015), Enhanced policy scenarios for major emitting countries. Analysis of current and planned climate policies, and selected enhanced mitigation measures, The Hague: PBL Netherlands Environmental Assessment Agency. http://www.pbl.nl/sites/default/files/cms/publicaties/pbl-2015-enhanced-policy-scenarios-for-major-emitting-countries_1631.pdf
- Enerdata (2015). Global Energy & CO2 Data. Available on (05-2015): <http://globaldata.enerdata.net/global-energy/database/>
- FAO (Food and Agriculture Organisation of the United Nations) (2015). FAOSTAT Emissions Land Use database. Database available on (10-10-2015): <http://faostat3.fao.org/faostat-gateway/go/to/home/E>
- Havlík, P., Valin, H., Herrero, M., Obersteiner, M., Schmid, E., Rufino, M.C., Mosnier, A., Thornton, P.K., Böttcher, H., Conant, R.T., Frank, S., Fritz, S., Fuss, S., Kraxner, F., Notenbaert, A. (2014). Climate change mitigation through livestock system transitions. PNAS, March 11 2014, vol. 111, no. 10, 3709-3714. DOI: www.pnas.org/cgi/doi/10.1073/pnas.1308044111
- IEA (International Energy Agency) (2015). IEA online energy statistics. Database available on (10-2015): <http://www.iea.org/statistics/>
- IMF (International Monetary Fund) (2015). Uneven Growth: Short- and Long-Term Factors, April 2015. Database available on (accessed on 01-07-2015): <http://www.imf.org/external/pubs/ft/weo/2015/01/weodata/index.aspx>
- IPCC (Intergovernmental Panel on Climate Change) (2014). AR5: Assessment Report 5, Working Group III, Technical Summary. Available on (24-03-2015): http://www.ipcc.ch/pdf/assessment-report/ar5/wg3/ipcc_wg3_ar5_technical-summary.pdf
- Labat, A., Kitous, A., Perry, M., Saveyn, B., Vandyck, T., and Vrontisi, Z. (2015). GECO2015. Global Energy and Climate Outlook. Road to Paris. JRC Scientific and Policy Reports, EUR 27239 EN. Available at: <http://dx.doi.org/10.2791/198028>

NREL (National Renewable Energy Laboratory) (2013). Global CFDDA-based Onshore and Offshore Wind Potential Supply Curves by Country, Class, and Depth (quantities in GW and PWh). DOE Opendata, OpenEI. Available on (15-05-2015): <http://en.openei.org/datasets/dataset/global-cfdda-based-onshore-and-offshore-wind-potential-supply-curves-by-country-class-and-depth-q>

OECD (Organisation for Economic Co-operation and Development) (2013). Economic Outlook No 93, Long term Baseline Projections, June 2013. Database available on (07-07-2014): http://stats.oecd.org/Index.aspx?DataSetCode=E095_LTB

OECD (2014). Uranium 2014: Resources, Production and Demand. A Joint Report by the OECD Nuclear Energy Agency and the International Atomic Energy Agency. © OECD 2014, NEA No. 7209. Available on (04-2015): <https://www.oecd-nea.org/ndd/pubs/2014/7209-uranium-2014.pdf>

PBL (Netherlands Environmental Assessment Agency) (2015). PBL climate pledge INDC tool. Available on (14/10/2015): <http://infographics.pbl.nl/indc/>

Pietzcker, R.C., Stetter, D., Manger, S., Luderer, G. (2014). Using the sun to decarbonize the power sector: The economic potential of photovoltaics and concentrating solar power. Applied Energy 135, 704–720. doi:10.1016/j.apenergy.2014.08.011

UN (United Nations) (2015). Department of Economic and Social Affairs, Population Division. World Population Prospects: The 2015 Revision. Data available on (10-08-2015): <http://esa.un.org/wpp/Excel-Data/population.htm>

UNFCCC (United Nations Framework Convention on Climate Change) (2015). INDCs as submitted by Parties. Available on (accessed 09/10/2015); <http://www4.unfccc.int/submissions/INDC/Submission%20Pages/submissions.aspx>

USGS (US Geological Survey) (2013). World Petroleum Assessment. Available on (24-03-2015): <http://energy.usgs.gov/OilGas/AssessmentsData/WorldPetroleumAssessment.aspx> and <http://pubs.usgs.gov/dds/dds-069/dds-069-ff/>

WEC (World Energy Council) (2013a). World Energy Resources: 2013 Survey. ISBN: 978 0 946121 29 8. Available on (15-05-2015): <http://www.worldenergy.org/data/resources/resource/coal/>

WEC (2013b). World Energy Perspective, Cost of Energy Technologies: 2013 Survey. ISBN: 978 0 94612 130 4. Available on (15-05-2015): <http://www.worldenergy.org/publications/2013/world-energy-perspective-cost-of-energy-technologies/>

World Bank (2015). World data bank, World development indicators. Available on (07-07-2014): <http://databank.worldbank.org/data/home.aspx>

WRI, CAIT (World Resources Institute, Climate Analysis Indicators Tool) (2014). Climate Analysis Indicators Tool: WRI's Climate Data Explorer. Washington, DC: World Resources Institute. Available at: <http://cait2.wri.org>

Annex 1

Table 1: Modelled regions and countries INDCs used to inform each region's emissions targets

Country/region	Proxy to / INDC taken from
EU-28	EU-28
Norway	Norway
Switzerland	Switzerland
Rest Central Europe	Albania, Bosnia-Herzegovina, Serbia
Turkey	Turkey
Canada	Canada
USA	USA
Mexico	Mexico
Rest Central America	Dominican Rep. , Guatemala, Honduras, Trinidad & T.
Chile	Chile
Argentina	Argentina
Brazil	Brazil
Rest South America	Bolivia, Colombia, Paraguay, Peru
Russian Federation	Russian Federation
Ukraine	Ukraine
Rest Central Asia (CIS)	Azerbaijan, Belarus, Kazakhstan, Tajikistan, Turkmenistan
South Korea	South Korea
China	China
Indonesia	Indonesia
Malaysia	<i>n/a</i>
Thailand	Thailand
Vietnam	Vietnam
Rest South East Asia	Cambodia, Philippines
India	India
Rest South Asia	Afghanistan, Bangladesh
Japan	Japan
Australia	Australia
New Zealand	New Zealand
Rest Pacific	<i>n/a</i>
North Africa Producers	Algeria
North Africa non Producers	Morocco, Tunisia
Egypt	<i>n/a</i>
South Africa	South Africa
Rest Sub-Saharan Africa	No commitment assumed
Mediterranean Middle East	Israel, Jordan, Lebanon
Iran	<i>n/a</i>
Saudi Arabia	<i>n/a</i>
Rest Persian Gulf	<i>n/a</i>

Annex 2

Table 2: Sources and models used for both historical data and for the projections

Series		Historical data	Projections
Population		UN (2015)	UN (2015, medium fertility)
GDP, growth		WB (2015)	EC (2015), IMF (2015), OECD ¹ (2013)
Other activity drivers	Value added	WB (2015)	POLES-JRC model
	Mobility, vehicles, households, tons of steel	Sectoral databases	
Energy resources	Oil, gas, coal	BGR (2014), USGS (2013), WEC (2013a), sectoral databases	
	Uranium	OECD (2014)	
	Biomass	EU: Green-X model ² Non-EU: GLOBIOM model ³	
	Hydro	Enerdata (2015)	
	Wind, solar	NREL (2013), PIK (2014) ⁴	
Energy balances	Reserves, production	BP (2015), Enerdata (2015), IEA (2015)	POLES-JRC model
	Demand by sector and fuel, transformation (including power), losses	Enerdata (2015), IEA (2015)	
Energy prices	International prices, prices to consumer	EIA (2015), Enerdata (2015), IEA (2015)	POLES-JRC model
GHG emissions	Energy CO2	Derived from POLES-JRC energy balances	POLES-JRC model
	Other GHG Annex 1	UNFCCC (2015)	POLES-JRC model, (GLOBIOM model ³)
	Other GHG Non-Annex 1 (excl. LULUCF)	EDGAR (EC-JRC 2015), national sources	POLES-JRC model, (GLOBIOM model ³)
	LULUCF Non-Annex 1	FAO (2015), national sources	POLES-JRC model, (GLOBIOM model ³)
Technology costs		Own estimates based on specialised literature & market monitoring, including but not only: EC-JRC (2014), IEA Technology Roadmaps, WEC (2013b), TECHPOL database ⁵	POLES-JRC model based on endogenous learning curves from aforementioned sources

Notes:

1 OECD: see also Dellink et al. (2014)

2 Information from Green-X is used as an input to POLES-JRC; University of Vienna: <http://www.green-x.at/>

3 Information from GLOBIOM is used as an input to POLES-JRC; IIASA: <http://www.globiom.org/>; see also Havlík et al. (2014)

4 PIK: see Pietzcker et al. (2014)

5 developed in several European research projects: SAPIENT, SAPIENTIA, CASCADE MINTS - see for instance: http://cordis.europa.eu/result/rcn/47819_en.html

European Commission

Joint Research Centre
Institute for Prospective Technological Studies

Contact information

Alban Kitous; Kimon Keramidas
Address: Edificio Expo. c/ Inca Garcilaso, 3. E-41092 Seville (Spain)
E-mail: alban.kitous@ec.europa.eu; kimon.keramidas@ec.europa.eu
Tel.: +34 9544-88427

<https://ec.europa.eu/jrc>
<https://ec.europa.eu/jrc/en/institutes/ipts>

This publication is a Policy Brief by the Joint Research Centre of the European Commission.

Please cite as:

EC-JRC (2015). Analysis of scenarios integrating the INDCs. JRC Policy Brief. European Commission, Joint Research Centre.
October 2015. JRC97845.

Legal Notice

This publication is produced by the Joint Research Centre, the European Commission's in-house science service. It aims to provide evidence-based scientific support to the European policy-making process. The scientific output expressed does not imply a policy position of the European Commission. Neither the European Commission nor any person acting on behalf of the Commission is responsible for the use which might be made of this publication.

JRC97845

© European Union, 2015

Reproduction is authorised provided the source is acknowledged.

Europe Direct is a service to help you find answers to your questions about the European Union
Freephone number (*): 00 800 6 7 8 9 10 11

(*): Certain mobile telephone operators do not allow access to 00 800 numbers or these calls may be billed.

A great deal of additional information on the European Union is available on the Internet.
It can be accessed through the Europa server <http://europa.eu/>.



JRC Mission

As the Commission's in-house science service, the Joint Research Centre's mission is to provide EU policies with independent, evidence-based scientific and technical support throughout the whole policy cycle.

Working in close cooperation with policy Directorates-General, the JRC addresses key societal challenges while stimulating innovation through developing new methods, tools and standards, and sharing its know-how with the Member States, the scientific community and international partners.

Serving society
Stimulating innovation
Supporting legislation