



JRC.DG.D.6/CvH/PRO/hn/ARES(2010)503512

**CRL Evaluation Report on the Analytical Methods  
submitted in connection with the Application for the  
Authorisation of a new Feed Additive  
according to Regulation (EC) No 1831/2003**

Dossier related to: FAD-2010-0013  
CRL/10002

Product Name: Chemically defined flavourings from  
Flavouring Group 02 – Branched-chain  
primary aliphatic alcohols/aldehydes/  
acids, acetals and esters with esters  
containing branched-chain alcohols and  
acetals containing branched-chain  
aldehydes

Active Substance(s): Thirty four chemically defined  
flavourings from Chemical Group 02

Rapporteur Laboratory: Community Reference Laboratory for  
Feed Additives (CRL-FA)

Report prepared by: Piotr Robouch  
(CRL-FA)

Report revised by: Roberto Molteni (CRL-FA)  
Date: 02/08/2010

Report approved by: Christoph von Holst  
Date: 10/08/2010

## EXECUTIVE SUMMARY

The *Chemically Defined Flavourings - Group 02 (CDG02, Branched-chain primary aliphatic alcohols/aldehydes/acids, acetals and esters with esters containing branched-chain alcohols and acetals containing branched-chain aldehydes)*, in this application comprises 34 substances, for which authorisation as feed additives is sought under the category "sensory additives", functional group 2(b) "flavouring compounds", according to the classification system of Annex I of Regulation (EC) No 1831/2003.

In the current application submitted according to Article 4(1) and Article 10 (2) of Regulation (EC) No 1831/2003, the authorisation for all species is requested. The flavouring compounds of interest have a purity ranging from 90% to 99%.

*Mixtures of flavouring compounds* are intended to be incorporated only into *feedingstuffs* or drinking *water*. The Applicant suggested no minimum or maximum levels for the different flavouring compounds in *feedingstuffs*.

For the identification of volatile chemically defined flavouring compounds *CDG02* in the *feed additive*, the Applicant submitted a qualitative multi-analyte gas-chromatography mass-spectrometry (GC-MS) method, using Retention Time Locking (RTL), which allows a close match of retention times on GC-MS. By making an adjustment to the inlet pressure, the retention times can be closely matched to those of a reference chromatogram. It is then possible to screen samples for the presence of target compounds using a mass spectral database of RTL spectra. The Applicant maintained two FLAVOR2 databases/libraries (for retention times and for MS spectra) containing data for more than 409 flavouring compounds. These libraries were provided to the CRL. The Applicant provided the typical chromatogram for the *CDG02* of interest.

In order to demonstrate the transferability of the proposed analytical method (relevant for the method verification), the Applicant prepared a model mixture of flavouring compounds on a solid carrier to be identified by two independent expert laboratories. This mixture contained twenty chemically defined flavourings belonging to twenty different chemical groups to represent the whole spectrum of compounds in use as feed flavourings with respect to their volatility and polarity. Both laboratories properly identified all the flavouring compounds in all the formulations. Since the substances of *CDG02* are within the volatility and polarity range of the model mixture tested, the Applicant concluded that the proposed analytical method is suitable to determine qualitatively the presence of the substances from *CDG02* in the *mixture of flavouring compounds*.

Based on the satisfactory experimental evidence provided, the CRL recommends for official control for the qualitative identification in the *feed additive* of the individual (or mixture of)

*flavouring compounds* of interest (\*) the GC-MS-RTL (Agilent specific) method submitted by the Applicant.

As no experimental data were provided by the Applicant for the identification of the *active substance(s)* in *feedingstuffs* and *water*, no methods could be evaluated. Therefore the CRL is unable to recommend a method for the official control to identify the *active substance(s)* of interest (\*) in *feedingstuffs* or *water*.

Further testing or validation of the methods to be performed through the consortium of National Reference Laboratories as specified by article 10 (Commission Regulation (EC) No 378/2005) is not considered necessary.

(\*)Full list provided in the CRL evaluation report available from the CRL website.

## **KEYWORDS**

Chemically Defined Flavourings - Group 02, sensory additives, all species.

## **1. BACKGROUND**

The *Chemically Defined Flavourings - Group 02 (CDG02)* is a grouped application for which authorisation as feed additive is sought under the category "sensory additives", functional group 2(b) "flavouring compounds" [1], according to the classification system of Annex I of Regulation (EC) No 1831/2003. The *CDG02* application contains 34 flavouring compounds (listed in Table 1) belonging to the group - described in Annex I of Commission Regulation (EC) No 1565/2000 [2] as - "*Branched-chain primary aliphatic alcohols/aldehydes/acids, acetals and esters with esters containing branched-chain alcohols and acetals containing branched-chain aldehydes*".

In the current application submitted according to Article 4(1) (new use in water) and Article 10(2) (re-evaluation of additives already authorised under Directive 70/524/EC) of Regulation (EC) No 1831/2003, the authorisation for all species is requested [1].

The flavouring compounds of interest are produced by different routes of manufacturing, providing a purity ranging from 90% to 99% [3]. *Mixtures of flavouring* compounds are usual prepared as liquid (diluted in an appropriate solvent, such as propane-1,2-diol) or solid (with an inorganic carrier, such as silicic acid + calcium carbonate) formulations.

Mixtures of flavouring compounds are intended to be incorporated only into *feedingstuffs* or drinking *water* [4]. The Applicant suggested no minimum or maximum levels for the different flavouring compounds [3], but normal contents of single flavouring compounds in *feedingstuffs* range from 0.1 to 100 mg/kg [4].

## 2. TERMS OF REFERENCE

In accordance with Article 5 of Regulation (EC) No 378/2005, as last amended by Regulation (EC) No 885/2009, on detailed rules for the implementation of Regulation (EC) No 1831/2003 of the European Parliament and of the Council as regards the duties and the tasks of the Community Reference Laboratory concerning applications for authorisations of feed additives, the CRL is requested to submit a full evaluation report to the European Food Safety Authority for each application or group of applications. For this particular dossier, the methods of analysis submitted in connection with *Chemically Defined Flavourings – Group 02*, and their suitability to be used for official controls in the frame of the authorisation, were evaluated.

## 3. EVALUATION

### *Qualitative and quantitative composition of impurities in the additive*

When required by EU legislation, analytical methods for official control of undesirable substances in the additive (e.g. arsenic, cadmium, lead, mercury, and dioxins) are available from the respective Community Reference Laboratories [5].

### *Description of the analytical methods for the determination of the active substance in feed additive, premixtures and feedingstuffs*

For the identification of volatile chemically defined flavouring compounds *CDG02* (cf. Table 1) in the *feed additive*, the Applicant submitted a qualitative multi-analyte gas-chromatography mass-spectrometry (GC-MS) [6] method, using Retention Time Locking (RTL) [7] methodology for which a patent is owned by Agilent Technology [8]. The Applicant does not mention about similar RTL system from company other than Agilent.

RTL allows a close match of retention times on Agilent GC-MS. By making an adjustment to the inlet pressure, the retention times can be closely matched to those of a reference chromatogram. It is then possible to screen samples for the presence of target compounds using a mass spectral database. The Applicant maintained two FLAVOR2 database/libraries (for the retention times and for MS spectra) containing data for more than 409 flavouring compounds (including those listed in Table 1) [8]. These libraries were provided to the CRL.

At first a GC-MS system suitability check is performed using an equal-weight mixture of Linalool, Acetophenone, Benzyl Acetate, Benzyl Alcohol, Hydroxycitronellal. The obtained

characteristics of the chromatogram - related to quantitative compositions, peak shapes and elution order - should be comparable with those of the reference chromatogram [9].

Retention times of d-limonene are measured at five inlet pressures (normal;  $\pm 10\%$ ;  $\pm 20\%$ ) to construct the calibration curve "retention time" vs. "inlet pressure". The "nominal" inlet pressure is then interpolated using the Agilent GC-RTL software and the retention time of d-limonene of the "reference" chromatogram (8.3 or 6.7 min for non-polar or polar columns, respectively). This "nominal" inlet pressure is finally used when analysing the samples of interest with an Agilent GC-MS. The retention times of the peaks detected in the chromatograms are compared to those of the reference chromatogram to identify the various compounds detected, using the FLAVOR2 screener database. Further confirmation is performed using the FLAVOR2 mass spectral library [8].

Two sample preparation protocols are described. Solid samples of *mixture of flavouring compounds* are extracted with the Soxhlet or with the Accelerated Solvent Extractor (80%/20% hexane/acetone mixture). The extract is evaporated at vacuum to 50 mL. The solution is filtered on a 0.45  $\mu\text{m}$  nylon filter and injected in the GC-MS [6] at constant "nominal" inlet pressure. Liquid samples of *mixture of flavouring compounds* are diluted (1:1) with acetone and injected in the GC-MS [6] at constant "nominal" inlet pressure. The Applicant provided the typical chromatogram for the CDG02 of interest (cf. Fig II.2-6 [4]).

In order to demonstrate the transferability of the proposed analytical method (relevant for the method verification), the Applicant prepared a model mixture of flavouring compounds on a solid carrier (containing silicic acid and calcium carbonate) to be identified by two independent expert laboratories. This mixture contained twenty chemically defined flavourings belonging to twenty different chemical groups to represent the whole spectrum of compounds in use as feed flavourings with respect to their volatility and polarity. Both laboratories properly identified all the flavouring compounds in all the formulations [10, 11]. Since the substances of CDG02 are within the volatility and polarity range of the model mixture tested, the Applicant concluded that the proposed analytical method is suitable to determine qualitatively the presence of the substances from CDG02 in the *mixture of flavouring compounds*.

Based on the satisfactory experimental evidence provided, the CRL recommends for official control for the qualitative identification in the *feed additive* of the individual (or mixture of) *flavouring compounds* of interest (listed in Table 1) the GC-MS-RTL (Agilent specific) method submitted by the Applicant.

**Table 1.** Retention Time Locked for the flavouring compounds of CDG02 [3], and d-limonene

FL-no	CAS-no	EU Register name	RTL polar (min)	RTL non-polar (min)
02.001	78-83-1	2-Methylpropan-1-ol	4.49	2.26
02.003	123-51-3	Isopentanol	6.70	2.91
02.026	106-21-8	3,7-Dimethyloctan-1-ol	19.10	13.25
02.082	104-76-7	2-Ethylhexan-1-ol	14.26	7.88
05.004	78-84-2	2-Methylpropanal	2.30	1.83
05.006	590-86-3	3-Methylbutanal	3.35	2.06
05.049	96-17-3	2-Methylbutyraldehyde	2.97	2.52
05.077	110-41-8	2-Methylundecanal	18.31	18.50
08.006	79-31-2	2-Methylpropionic acid	17.90	3.35
08.008	503-74-2	3-Methylbutyric acid	20.73	4.67
08.031	97-61-0	2-Methylvaleric acid	23.11	7.20
08.045	88-09-5	2-Ethylbutyric acid	22.38	6.90
08.046	116-53-0	2-Methylbutyric acid	19.91	5.16
08.047	1188-02-9	2-Methylheptanoic acid	28.30	12.26
08.062	45019-28-1	4-Methylnonanoic acid	34.91	18.12
08.063	54947-74-9	4-Methyloctanoic acid	32.57	15.27
09.005	110-19-0	Isobutyl acetate	3.63	3.22
09.024	123-92-2	Isopentyl acetate	5.30	4.56
09.043	539-90-2	Isobutyl butyrate	5.84	6.35
09.055	106-27-4	3-Methylbutyl butyrate	8.19	8.80
09.070	2198-61-0	3-Methylbutyl hexanoate	13.47	14.95
09.103	6309-51-9	3-Methylbutyl dodecanoate	29.86	31.98
09.120	2035-99-6	3-Methylbutyl octanoate	19.46	21.03
09.136	105-68-0	3-Methylbutyl propionate	6.45	6.46
09.162	110-45-2	3-Methylbutyl formate	4.47	3.30
09.211	60-01-5	Glyceryl tributyrate	37.94	31.67
09.286	624-41-9	2-Methylbutyl acetate	5.35	4.66
09.417	97-85-8	Isobutyl isobutyrate	4.62	5.40
09.419	2050-01-3	Isopentyl isobutyrate	6.74	7.80
09.463	659-70-1	3-Methylbutyl 3-methylbutyrate	9.00	10.45
09.472	589-59-3	Isobutyl isovalerate	6.30	7.55
09.530	27625-35-0	Isopentyl 2-methylbutyrate	8.48	10.29
09.531	2445-77-4	2-Methylbutyl isovalerate	9.10	10.55
09.659	51115-64-1	2-Methylbutyl butyrate	8.21	9.00
01.045	5989-27-5	d-Limonene (standard)	8.33	6.70

FL-no: EU Flavour Number; RTL: Retention Time Locked

As no experimental data were provided by the Applicant for the identification of the *active substance(s)* in *feedingstuffs* and *water*, no methods could be evaluated. Therefore the CRL is unable to recommend a method for the official control to identify the *active substance(s)* of interest (cf. Table 1) in *feedingstuffs* or *water*.

Further testing or validation of the methods to be performed through the consortium of National Reference Laboratories as specified by article 10 (Commission Regulation (EC) No 378/2005) is not considered necessary.

#### **4. CONCLUSIONS AND RECOMMENDATIONS**

The CRL recommends for official control the Agilent specific method submitted by the Applicant, for the identification of the 34 *flavouring compounds* of the CDG02 in the *feed additive* of the individual (or mixture of) *flavouring compounds* of interest.

The Applicant provided no experimental data for *feedingstuffs* and *water*, therefore the CRL is unable to recommend a method for the identification of the 34 *flavouring compounds* of the CDG02 in *feedingstuffs* and *water*.

##### ***Recommended text for the register entry (analytical method)***

For the identification of 34 *flavouring compounds* in mixtures of flavourings:

Gas-chromatography mass spectrometry with retention time locking  
(GC-MS-RTL)

#### **5. DOCUMENTATION AND SAMPLES PROVIDED TO CRL**

In accordance with the requirements of Regulation (EC) No 1831/2003, reference samples of *Chemically Defined Flavourings – Group 02 (CDG02)* have been sent to the Community Reference Laboratory for Feed Additives. The dossier has been made available to the CRL by EFSA.

## 6. REFERENCES

- [1] \*Application, Reference SANCO/D/2 Forw. Appl. 1831/012-2010
  - [2] Commission Regulation (EC) No 1565/2000 laying down the measures necessary for the adoption of an evaluation programme in application of Regulation (EC) No 2232/96 of the European Parliament and of the Council
  - [3] \*Application, Proposal for Register Entry – Annex A
  - [4] \*Technical dossier, Section II – Sect\_II\_Identity.pdf: 2.1. Identity of the additives - 2.5. Conditions of use of the additive – 2.6. Method of analysis and reference samples
  - [5] Commission Regulation (EC) No 776/2006 amending Annex VII to Regulation (EC) No 882/2004 of the European Parliament and of the Council as regards to Community Reference Laboratories
  - [6] \*Technical dossier, Section II – Annex\_II\_05\_FFAC 2008 GCMS method.pdf  
"GC/MS method for the identification and assay of feed flavourings"
  - [7] \*Technical dossier, Section II – Annex\_II\_07\_RTL Lock.pdf
  - [8] \*Technical dossier, Section II – Annex\_II\_06\_Flavour RTL.pdf
  - [9] \*Technical dossier, Section II – Annex\_II\_04\_Methods assay.pdf
  - [10] #Supplementary Information – Analytical report Pancosma.pdf
  - [11] #Supplementary Information – Analytical report Phytosynthese.pdf
- \* Refers to Dossier No. FAD-2010-0013  
# Refers to Dossier No. FAD-2009-0050

## 7. RAPPORTEUR LABORATORY & NATIONAL REFERENCE LABORATORIES

The Rapporteur Laboratory for this evaluation was Community Reference Laboratory for Feed Additives, IRMM, Geel, Belgium. This report is in accordance with the opinion of the consortium of National Reference Laboratories as referred to in Article 6(2) of Commission Regulation (EC) No 378/2005, as last amended by Regulation (EC) No 885/2009.



## 8. ACKNOWLEDGEMENTS

The following National Reference Laboratories contributed to this report:

- Thüringer Landesanstalt für Landwirtschaft (TLL), Abteilung Untersuchungswesen, Jena (DE)
- Skúšobné laboratórium – Oddelenie analýzy krmív, Ústredný kontrolný a skúšobný ústav poľnohospodársky, Bratislava (SK)
- Österreichische Agentur für Gesundheit und Ernährungssicherheit (AGES), Wien (AT)
- Centro di referenza nazionale per la sorveglianza ed il controllo degli alimenti per gli animali (CReAA), Torino (IT)
- Instytut Zootechniki w Krakowie, Krajowe Laboratorium Pasz, Lublin (PL)
- Ústřední kontrolní a zkušební ústav zemědělský (ÚKZÚZ), Praha (CZ)